

Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

system. Nevertheless, the conditions examined were reasonably comprehensive and often co-occur with maltreatment and criminality; thus adding more indicators might not substantially change the main findings. A broader concern is that this registry linkage study might show excess mortality mainly for people who experienced disadvantage severe enough to be recorded by social and health services. Associations with unreported serious exposures and less prominent, but still harmful, childhood environments might be missed

Overall, Rod and colleagues' study provides a striking picture of links between adversity and early mortality in a country with high social equality and a globally renowned social security system to support vulnerable families. The study raises important questions. Where are the holes in the safety net? Would coordinated screening for childhood adversity across the data systems help to identify families most in need of support? What are the direct and indirect pathways between childhood adversity and accidental injury or cancer at a young age?

It will be important to follow this rare national cohort into the future. Much is already known about the pernicious effects of childhood adversity, but research with whole populations can reveal the ultimate consequences.


MPD declares no competing interests. FM declares a grant from the Economic and Social Research Council/Global Challenges Research Fund and is an elected Councillor of the International Society for the Prevention of Child Abuse and Neglect.

*Michael P Dunne, Franziska Meinck m.dunne@qut.edu.au

Faculty of Health, Queensland University of Technology, Brisbane City, QLD 4000, Australia (MPD); Institute for Community Health Research, Hue University, Hue, Vietnam (MPD); School of Social and Political Sciences, University of Edinburgh, Edinburgh, UK (FM); and Faculty of Health Sciences, North-West University, Vanderbijlpark, South Africa (FM)

- 1 Brown DW, Anda RF, Tiemeier H, et al. Adverse childhood experiences and the risk of premature mortality. *Am J Prev Med* 2009; **37**: 389–96.
- 2 Kelly-Irving M, Lepage B, Dedieu D, et al. Adverse childhood experiences and premature all-cause mortality. Eur J Epidemiol 2013; 28: 721–34.
- 3 Hughes K, Bellis MA, Hardcastle KA, et al. The effect of multiple adverse childhood experiences on health: a systematic review and meta-analysis. Lancet Public Health 2017; 2: e356-66.
- 4 Bellis MA, Hughes K, Ford K, Ramos Rodriguez G, Sethi D, Passmore J. Life course health consequences and associated annual costs of adverse childhood experiences across Europe and North America: a systematic review and meta-analysis. Lancet Public Health 2019; 4: e517–28.
- Mathews B, Pacella R, Dunne MP, Simunovic M, Marston C. Improving measurement of child abuse and neglect: a systematic review and analysis of national prevalence studies. PLoS One 2020; 15: e0227884.
- 6 Reuben A, Moffitt TE, Caspi A, et al. Lest we forget: comparing retrospective and prospective assessments of adverse childhood experiences in the prediction of adult health. J Child Psychol Psychiatry Allied Discip 2016; 57: 1103–12.
- 7 Rod N, Bengtsson J, Budtz-Jørgensen E, et al. Trajectories of childhood adversity and mortality in early adulthood: a population-based cohort study. Lancet 2020; 396: 489–97.
- 8 Guinn AS, Ports KA, Ford DC, Breiding M, Merrick MT. Associations between adverse childhood experiences and acquired brain injury, including traumatic brain injuries, among adults: 2014 BRFSS North Carolina. *Inj Prev* 2019; 25: 514–20.
- Kelly-Irving M, Lepage B, Dedieu D, et al. Childhood adversity as a risk for cancer: findings from the 1958 British birth cohort study. BMC Public Health 2013; 13: 767.

Moving towards anti-racist praxis in medicine



bell hooks, Killing Rage: Ending Racism¹

The devastating effects of police brutality, maternal mortality, and COVID-19 all have one commonality: they render disproportionate, deadly impact on marginalised and minoritised communities in the USA.² After worldwide anti-racism protests in response to the 2020 murders of Ahmaud Arbery, George Floyd, and Breonna Taylor, among others, several predominantly White health organisations denounced racism—specifically structural racism—and unprecedentedly declared "Black Lives Matter". However, these declarations will require long-term commitments to equity and

anti-racism, specifically anti-Black racism, within their organisations and within the health system and society at large. As Ibram X Kendi has written, "One either believes problems are rooted in groups of people, as a racist, or locates the roots of problems in power and policies, as an anti-racist". Being anti-racist necessitates that institutions challenge structural racism and other intersecting oppressive systems—eg, ableism, classism, ethnocentrism, homophobia, sexism, transphobia—by shifting power—eg, funding and other critical resources, policies, processes, leadership, culture—so that marginalised and minoritised peoples can live healthily and thrive.

Structural racism—how societies foster racial discrimination through mutually reinforcing systems⁴ including the health-care system—violates the human rights of



Published Online
July 17, 2020
https://doi.org/10.1016/
S0140-6736(20)31543-9



minoritised people. And structural racism is associated with adverse health outcomes—eq, poor health-care quality and access, increased risk of preterm birth and low birthweight, increased risk of cancer—and perpetuates health inequities through mechanisms including racial segregation—ie, residential, school, workforce—immigration policy, and discriminatory incarceration.^{4,5} Practical steps to incorporate an antiracist lens are needed to remedy structural racism in medicine. For instance, the recognition of racism, not race, as a root cause or driver of health inequities and the establishment of systems that collect and disaggregate health outcome data by race and ethnicity as well as how racism may be operating (eq, discrimination, not meeting required standards of care) can be used as the basis for community-engaged quality improvement in health-care settings.^{6,7} Moreover, Hardeman and colleagues2 recommend adopting universal single-payer health care, diversifying the health-care workforce, implementing medical training and competency that includes not only an awareness of racism but also how to address it, establishing performance standards related to structural racism and equity for health-care systems, and advocating for patients unjustly impacted by health inequities, even victims of police brutality.

Applying an anti-racist lens is not only a moral imperative in health care, it is also an efficient, equitable strategy. Advances in digital health are increasingly shaping clinical practice in the USA and elsewhere and will continue to do so. It is negligent to produce inequitable health outcomes, even inadvertently so, including within algorithmic-based medical innovations, such as artificial intelligence, digital health, precision medicine, wellness genomics, and other innovations that are intended to empower individuals for better health.8 Each is a double-edged instrument if not forged in anti-racism. Medical innovation offers great potential for refining clinical decision making to move towards health equity. Yet algorithmic bias in medical innovation can be deadly, as shown, for example, where biased algorithms were used to allocate patients into "high risk care management" programmes, but instead systematically discriminated against and endangered thousands of patients in the USA.9 Medical innovations produced without an anti-racist, structural justice lens are harmful. Medical innovations as equity instruments need to be designed by a meaningfully diverse cadre of engineers, social scientists, community and patient advocates, and health-care providers. 10 Designers must test their algorithms in health-care settings that serve different patient populations-eq, younger, White, relatively healthier patients, and predominantly minoritised communities.11

As such innovation develops and increases its reach within health care by function and intentional design, so too must anti-racism in causal algorithmic pathways to achieve equity in effect. Medical innovation must be an unbiased estimator that ever aspires toward equitable outcomes, albeit that unbiased innovation does not eviscerate bias.² Health system data need to be collected and used with an "algorithmic scrutiny",12 ensuring equity as a builtin process outcome in medical innovation tools. It is important that physicians who use innovations, and the designers who make them, are confident in their abilities to address legacies of structural racism within the clinical setting as it bears on health outcomes. This is arguably a non-negotiable skill and should be a tenet of 21st-century medicine.

The USA is shifting demographically, epidemiologically, and in terms of opportunities to which some are exposed

and others are not. Projections are that the nation is approaching a shortage of health professionals,13 particularly among minoritised physicians, 14 for whom the trajectory into medicine is often rife with barriers. Health care in the USA is becoming more expensive to manage as use of clinical services increases.¹⁵ Research shows that about 50-80% of health outcomes are determined by social, structural, and root cause factors outside of clinical settings.16 In the spirit of bell hooks, there must be a paradigm shift such that health-care providers are trained to legitimate and incorporate anti-racist models into their practice which recognise these structural determinants of health. This level of consciousness-raising must start no later than pre-medical education, continuing throughout ongoing licensure, accountability, and accreditation processes. 17,18

A priority for medical education must be building an anti-racist, structural competency skill set.2 This involves training at the interdisciplinary nexus of medicine and the disciplines that highlight how deeply entrenched social dynamics of power, opportunity, and wellness are delineated along racial lines. Antiracist, structural competency training needs to start from pre-medicine pathways and will be essential for reimagining justice in the medical workforce pipeline. Undergraduate students who are trained in anti-racist, structural competency have increased capacities for understanding root structural causes of disease.18 It is not enough for burgeoning clinicians to know the body, inside and out. They must also know the historical body of work about enduring medical practices based on exploitation and/or exclusion and long-standing medical policies that render certain populations sicker than others; such knowledge informs their structural competency skills development. For the same reason, new and established physicians must undergo consistent, continuing medical education that includes anti-racist, structural competency training. Such level training makes for better doctors who are well prepared to address the needs of a changing nation and a changing world.19 This is what medical education justice in practice should look like.

An anti-racist, structural justice approach is the crucial narrative frame that health-care practitioners need so that they can dismantle, reimagine, and redesign health care in a changing society. Unequivocally, health is a right and anti-racism is its right-bearer.

We declare no competing interests. The views expressed in this Comment are those of the authors and do not necessarily represent the policy of the American Medical Association.

*Joia Crear-Perry, Aletha Maybank, Mia Keeys, Nia Mitchell, Dawn Godbolt

drjoia@birthequity.org

National Birth Equity Collaborative, New Orleans, LA 70125, USA (JC-P, NM, DG); American Medical Association, Chicago, IL, USA (AM); and American Medical Association, Washington, DC, USA (MK)

- 1 hooks b. Killing rage: ending racism. New York, NY: Henry Holt and Company, 1996.
- 2 Hardeman RR, Medina EM, Boyd RW. Stolen breaths. N Engl J Med 2020; published online June 19. https://www.doi.org/10.1056/ NEJMp2021072.
- 3 Kendi IX. How to be an antiracist, New York, NY: Random House, 2019.
- 4 Bailey ZD, Krieger N, Agénor M, Graves J, Linos N, Bassett MT. Structural racism and health inequalities in the USA: evidence and interventions. *Lancet* 2017; 389: 1453–63.
- 5 Gee GC, Ford CL. Structural racism and health inequities. Du Bois Rev 2011; 8: 115–32.
- 6 Crear-Perry J. Race isn't a risk factor in maternal health. Racism is. Rewire News, April 11, 2018. https://rewire.news/article/2018/04/11/maternal-health-replace-race-with-racism/ (accessed July 3, 2020).
- 7 Boyd RW, Lindo EG, Weeks LD, McLemore M. On racism: a new standard for publishing on racial health inequities. *Health Affairs Blog*, July 2, 2020. https://www.healthaffairs.org/do/10.1377/hblog20200630.939347/full/ (accessed July 14, 2020).
- 8 Juengst ET, McGowan ML. Why does the shift from "personalized medicine" to "precision health" and "wellness genomics" matter? AMA J Ethics 2018; 20: e881-90
- 9 Obermeyer Z, Powers B, Vogeli C, Mullainathan S. Dissecting racial bias in an algorithm used to manage the health of populations. *Science* 2019; 366: 447–53.
- 10 Benjamin R. Race after technology: abolitionist tools for the new Jim Code. Medford, MA: Polity Press, 2019.
- 11 Matheny M, Israni ST, Ahmed Whicher D, eds. Artificial intelligence in health care: the hope, the hype, the promise, the peril. NAM Special Publication. Washington, DC: National Academy of Medicine, 2019.
- 12 Chen IY, Szolovits P, Ghassemi M. Can AI help reduce disparities in general medicine and mental health care? AMA J Ethics 2019; 21: e167–79.
- 13 Association of American Medical Colleges. New findings confirm predictions on physician shortage. April 23, 2019. https://www.aamc.org/news-insights/press-releases/new-findings-confirm-predictions-physician-shortage#:~:text=The%20United%20States%20will%20 see,Association%20of%20American%20Medical%20Colleges (accessed Luk 2, 2020).
- 14 Gantz S. Physicians of color are far too rare: study highlights one potential reason. Medical Xpress, Sept 25, 2019. https://medicalxpress.com/ news/2019-09-physicians-rare-highlights-potential.html (accessed July 3, 2020).
- 15 Center for Medicare and Medicaid Services. National health expenditures 2017 highlights. 2018. https://www.cms.gov/Research-Statistics-Dataand-Systems/Statistics-Trends-and-Reports/NationalHealthExpendData/ Downloads/highlights.pdf (accessed July 3, 2020).
- 16 Hood CM, Gennuso KP, Swain GR, Catlin BB. County health rankings: relationships between determinant factors and health outcomes. Am J Prevent Med 2016; 50: 129–35.
- 17 Hardeman RR, Medina EM, Kozhimannil KB. Structural racism and supporting Black lives—the role of health professionals. N Engl J Med 2016; 375: 2113-15.
- 18 Petty J, Metzl JM, Keeys MR. Developing and evaluating an innovative structural competency curriculum for pre-health students. J Med Humanit 2017; 38: 459-71.
- 19 Metzl JM, Maybank A, De Maio F. Responding to the COVID-19. JAMA 2020; published online June 4. https://www.doi.org/10.1001/ jama.2020.9289.